



Description

Increase your guests’ confidence with Tork Toilet Seat covers and bring extra hygiene to your washrooms.

- Disposable: minimises contamination
- Flushable: less maintenance
- Advanced
- General public use
- Flushable

Certifications



Tork
Advanced

Product Details

Ply	1
Folded width	36 cm
Unfolded length	42.5 cm
Folded length	24.7 cm
Unfolded Width	36 cm
System	V1
Color	White

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	7310797501608	7310791005294	7322540843231
Packaging Material	Inner Box	Carton	-
Pieces	250	5000 (20 CON)	150000 (30 TRP)
Height	21 mm	380 mm	1,301 mm
Length	257 mm	390 mm	1,200 mm
Width	380 mm	275 mm	1,000 mm
Gross Weight	633.75 g	13.13 kg	393.75 kg
Net Weight	573.75 g	11.47 kg	344.25 kg
Volume	2.05 dm3	40.76 dm3	1.22 m3
Layers Per Pallet	-	-	3
TRP Per Layer	-	-	10

Compatible Products



Tork Toilet Seat Cover Dispenser White
344080



Tork Toilet Seat Cover Dispenser Black
344088

Environmental Information

Content	The product is made from Recycled fibres Chemicals The packaging material is made from paper or plastic.
Material	Recycled fibres Recycling of paper is an efficient use of resources as the wood fibres are used more than once. High demands are put on quality and purity of recovered paper, considering each step of the chain (collecting, sorting, transporting, storage, use), to ensure safe and hygienic products. Recycled fibres can be produced from different types of recovered paper, such as collected newsprint, magazines, office waste, paper cups, drink cartons, corrugated boxes and paper hand towels. The choice of recovered paper grades is made for each product, depending on its specific requirements on performance properties and brightness. The paper is dissolved in water, washed and treated with chemicals under high temperature and screened to separate out impurities. Bleaching of pulp, used for tissue, is primarily a process to remove substances that could have a negative effect on important properties of the finished product such as purity, absorption, strength and colour of the pulp. Bleaching of the recycled fibre pulp is done using chlorine-free bleaching agents (hydrogen peroxide and sodium dithionite). Some of our products are bleached and some are not. For bleached products we use bleaching agents (to increase the brightness of pulp from recovered paper).
Chemicals	All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view. To control product performance we use additives: • Wet strength agents (for Wipers and Hand Towels) • Dry strength agents (are used together with mechanical treatment of the pulp to make strong products like wipers) • For coloured papers dyes and fixatives (to secure perfect fastness of the colour) are added • For printed products printing inks (pigments with carriers and fixatives) are applied • For multi ply products we often use water soluble glue to secure the integrity of the product

In most of our mills we do not add optical brighteners but it often occurs in recovered paper since it is used in printing paper.

We do not use softeners for professional hygiene products.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibres to prevent fibre loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke and to utilise recovered fibres we use:

- Pulping aid (chemicals that help to repulp wet strong paper)
- Flocculation chemicals (that help to clean out printing inks and fillers from recovered paper)
- Bleaching agents (to increase the brightness of pulp from recovered paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 12-11-2021 Revision date: 17-06-2025
Production	This product is produced at External mill.
Destruction	This product is mainly used for personal hygiene and can be collected together with household waste.
Essity UK Ltd, Southfields Road, Dunstable, Bedfordshire LU6 3EJ, United Kingdom	